

EAST 6/20/05

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13	("3682431" "4097057" "4219916" "5131615" "5560717" "20020109052"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/20 07:09
L2	37	Samhongsa.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 07:10
L3	29515	(adhesive or glue or glued) with (sleeve or guide or bushing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 07:14
L4	109	(adhesive or glue or glued) with (sleeve or guide or bushing) and "267"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 07:14
L5	19	(adhesive or glue or glued) with (sleeve or guide or bushing) same (shaft or rod or strut) and "267"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 07:15
L6	7	(adhesive or glue or glued) with (sleeve or guide or bushing) same (shaft or rod or strut) and "297"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 07:15
L7	23	(adhesive or glue or glued) with (sleeve or guide or bushing) same (shaft or rod or strut) and "248"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 07:16
L8	3443	(adhesive or glue or glued) with (sleeve or guide or bushing) same (shaft or rod or strut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 07:26
L9	83	(adhesive or glue or glued) and 267/64.11-64.28.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 07:17
L10	25	(adhesive or glue or glued) with (sleeve or guide or bushing) same (shaft or rod or strut or spindle) same column	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 07:23

L11	17	(adhesive or glue or glued) with (sleeve or guide or bushing) same (shaft or rod or strut or spindle) and (a47c\$.ipc. or f16m\$.ipc.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 07:25
L12	3288	(adhesive or glue or glued) with (sleeve or tube or guide or bushing) with (shaft or rod or strut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 07:28
L13	2	(adhesive or glue or glued) with (sleeve or tube or guide or bushing) with (shaft or rod or strut) same (gas or air or pneumatic) adj3 (spring or strut or column)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 07:29
L14	8	(adhesive or glue or glued) with (sleeve or tube or guide or bushing) and 92/165\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 07:30
L15	7	(adhesive or glue or glued) with (sleeve or tube or guide or bushing) and 92/168.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 07:31
L16	2	(adhesive or glue or glued) with (sleeve or tube or guide or bushing) same column adj unit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 07:31
S1	50	("4771178" "6474619" "4327863" "6240802" "6287245" "4287786" "4938264" "5621933" "5865542" "6168505" "5615590" "3898942" "4083571" "4258598" "4284148" "4385853" "4421446" "4995301" "5345964" "5503115" "5573105" "5601476" "5732839" "5738572" "6425545" "4953585" "4622734" "5293793" "5580197" "4304364" "4327525" "4369693" "4408726" "4481974" "4546572" "4566738" "4587872" "4623287" "4763448" "4785717" "4827538" "4869627" "4880246" "4911589" "4991859" "5000024" "5013163" "5319917" "5443275" "5581980"),pn.	US-PGPUB; USPAT	OR	ON	2004/08/25 08:31
S2	1	("6533084").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/08/25 08:32

S3	33	Samhongsas.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 07:10
S4	2	"6474619".URPN.	USPAT	OR	ON	2004/08/25 08:33
S5	2	("5556170"   "5702083").PN.	USPAT	OR	ON	2004/08/25 08:33
S6	97	(Ma.in. or Kim.in.) and (adhesive or glue or glued) with (sleeve or guide or bushing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/25 12:52
S7	0	(adhesive or glue or glued) with (sleeve or guide or bushing) and Samhongsas.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/25 08:41
S8	0	(adhesive or glue or glued) and Samhongsas.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/25 08:41
S9	258	(92/166).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/08/25 09:11
S10	1274	column adj unit	US-PGPUB; USPAT	OR	ON	2004/08/25 09:11
S11	2778	tube adj cylinder	US-PGPUB; USPAT	OR	ON	2004/08/25 09:12
S12	12155	gas adj cylinder	US-PGPUB; USPAT	OR	ON	2004/08/25 09:11
S13	5556	tube adj (guide or slide)	US-PGPUB; USPAT	OR	ON	2004/08/25 09:12
S14	478	297/344.18-344.19.ccls.	US-PGPUB; USPAT	OR	ON	2004/08/25 13:08
S15	3525	267/64.11-64.28,113,131.ccls.	US-PGPUB; USPAT	OR	ON	2004/08/25 09:14
S16	1	92/166.ccls. and (glue\$2 or adhesive)	US-PGPUB; USPAT	OR	ON	2004/08/25 09:15
S17	1624	(glue\$2 or adhesive) with (guide or slide or sleeve or bushing) with (rod or shaft or spindle)	US-PGPUB; USPAT	OR	ON	2004/08/25 09:23
S18	26407	(column adj unit) (tube adj cylinder) (gas adj cylinder) (tube adj (guide or slide)) 248/631,161,162.1,188.2.ccls. 297/344.18-344.19.ccls. 267/64.11-64.28,113,131.ccls.	US-PGPUB; USPAT	OR	ON	2004/08/25 09:16

S19	40	((column adj unit) (tube adj cylinder) (gas adj cylinder) (tube adj (guide or slide)) 248/631,161,162.1,188.2.ccls. 297/344.18-344.19.ccls. 267/64.11-64.28,113,131.ccls. ) and ( (glue\$2 or adhesive) with (guide or slide or sleeve or bushing) with (rod or shaft or spindle))	US-PGPUB; USPAT	OR	ON	2004/08/25 09:17
S20	631	(glue\$2 or adhesive) with (guide or slide or sleeve or bushing) with (rod or shaft or spindle)	EPO; JPO; DERWENT	OR	ON	2004/08/25 09:18
S21	1	(glue\$2 or adhesive) with (guide or slide or sleeve or bushing) with (rod or shaft or spindle) same (column adj unit or gas adj cylinder or gas adj unit or tube adj cylinder or gas adj spring)	EPO; JPO; DERWENT	OR	ON	2004/08/25 09:19
S22	1	(glue\$2 or adhesive) with (guide or slide or sleeve or bushing) with (rod or shaft or spindle) and f16m\$.ipc.	EPO; JPO; DERWENT	OR	ON	2004/08/25 09:20
S23	6	(glue\$2 or adhesive) with (guide or slide or sleeve or bushing) with (rod or shaft or spindle) and f16f\$.ipc.	EPO; JPO; DERWENT	OR	ON	2004/08/25 09:20
S24	11	(glue\$2 or adhesive) with (guide or slide or sleeve or bushing) with (rod or shaft or spindle) and ("188"/\$.ccls. or "267"/\$.ccls.)	US-PGPUB; USPAT	OR	ON	2004/08/25 09:27
S25	77	(glue\$2 or adhesive) with (guide or slide or sleeve or bushing) with (rod or shaft or spindle) and ("384"/\$.ccls. or "297"/\$.ccls. or "248"/\$.ccls.)	US-PGPUB; USPAT	OR	ON	2005/06/20 07:26
S26	1	(glue\$2 or adhesive) with (guide or slide or sleeve or bushing) with (rod or shaft or spindle) and 92/166,165r.ccls.	US-PGPUB; USPAT	OR	ON	2004/08/25 09:34
S27	5	(glue\$2 or adhesive) with (guide or slide or sleeve or bushing) and 92/166,165r.ccls.	US-PGPUB; USPAT	OR	ON	2004/08/25 09:35
S28	1	(glue\$2 or adhesive) with (guide or slide or sleeve or bushing) same column adj unit	US-PGPUB; USPAT	OR	ON	2004/08/25 09:36
S29	2	(glue\$2 or adhesive) with (guide or slide or sleeve or bushing) and 248/631.ccls.	US-PGPUB; USPAT	OR	ON	2004/08/25 13:26
S30	24584	248/631,161,162.1,188.2.ccls. or column adj unit or gas adj (strut or spring or cylinder) or tube adj cylinder or tube adj guide	US-PGPUB; USPAT	OR	ON	2004/08/25 12:52
S31	18749	(adhesive or glue or glued) with (sleeve or guide or bushing)	US-PGPUB; USPAT	OR	ON	2004/08/25 13:29

S32	127	(adhesive or glue or glued) with (sleeve or guide or bushing) with spindle	US-PGPUB; USPAT	OR	ON	2004/08/25 13:01
S33	0	(adhesive or glue or glued) with (guide adj sleeve or guide adj bushing) with (shaft or rod or spindle) same (wobble or unstable)	US-PGPUB; USPAT	OR	ON	2004/08/25 13:36
S34	9	(adhesive or glue or glued) with (guide adj2 sleeve or guide adj2 bushing) with (shaft or rod or spindle)	US-PGPUB; USPAT	OR	ON	2004/08/25 13:00
S35	212	(adhesive.clm. or glue.clm. or glued. clm.) and (sleeve.clm. or guide.clm. or bushing.clm.) and spindle.clm.	US-PGPUB; USPAT	OR	ON	2004/08/25 13:04
S36	72	(adhesive.clm. or glue.clm. or glued. clm.) and (sleeve.clm. or guide.clm. or bushing.clm.) and piston.clm. adj rod. clm.	US-PGPUB; USPAT	OR	ON	2004/08/25 13:04
S37	1617	248/631,161,162.1,188.2.ccls. 297/344.18-344.19.ccls.	US-PGPUB; USPAT	OR	ON	2004/08/25 13:08
S38	1617	248/631,161,162.1,188.2.ccls. or 297/344.18-344.19.ccls.	US-PGPUB; USPAT	OR	ON	2004/08/25 13:08
S39	80	(248/631,161,162.1,188.2.ccls. or 297/344.18-344.19.ccls. ) and piston adj rod and (guide or sleeve) with (spindle or rod or shaft)	US-PGPUB; USPAT	OR	ON	2004/08/25 13:14
S40	15	("2961260" "4183689" "4778137" "4842238" "5078351" "5377942" "5461965" "5462248" "5497966" "5531413" "5738318" "5765804" "5806828" "5944290" "5992815").PN.	US-PGPUB; USPAT	OR	ON	2004/08/25 13:15
S41	694	(248/188.5).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/08/25 13:22
S42	0	(glue\$2 or adhesive) near5 sleeve with exterior near3 spindle	US-PGPUB; USPAT	OR	ON	2004/08/25 13:27
S43	32	(glue\$2 or adhesive) near5 sleeve with spindle	US-PGPUB; USPAT	OR	ON	2004/08/25 13:28
S44	1	(adhesive or glue or glued) with (sleeve or guide or bushing) same column with adjust\$ with height	US-PGPUB; USPAT	OR	ON	2004/08/25 13:29
S45	375	(sleeve or guide or bushing) same column with adjust\$ with height	US-PGPUB; USPAT	OR	ON	2004/08/25 13:29
S46	25	(sleeve or guide or bushing) same column with adjust\$ with height same gas	US-PGPUB; USPAT	OR	ON	2004/08/25 13:30
S47	2	"6474619".URPN.	USPAT	OR	ON	2004/08/25 13:33
S48	2	("5556170"   "5702083").PN.	USPAT	OR	ON	2004/08/25 13:33
S49	1	"6315262".URPN.	USPAT	OR	ON	2004/08/25 13:35

S50	5	("1895226"   "2351194"   "3385550"   "3837611"   "5269398").PN.	USPAT	OR	ON	2004/08/25 13:36
S51	8	(adhesive or glue or glued) with (guide adj sleeve or guide adj bushing) with (shaft or rod or spindle)	US-PGPUB; USPAT	OR	ON	2004/08/25 13:37
S52	0	(adhesive or glue or glued) with (guide adj sleeve or guide adj bushing) with (nylon or grease)	US-PGPUB; USPAT	OR	ON	2004/08/25 13:37
S53	0	(adhesive or glue or glued) with (guide adj sleeve or guide adj bushing) with (nylon or grease)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/25 13:38
S54	3	(adhesive or glue or glued) same (guide adj sleeve or guide adj bushing) same (nylon or grease)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/26 09:27
S55	911	(adhesive or glue or glued) same (guide or sleeve or bushing) same (nylon or grease)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/25 13:39
S56	122	(adhesive or glue or glued) with (guide or sleeve or bushing) with (nylon or grease)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/25 13:41
S57	90	(adhesive or glue or glued) with (guide or sleeve or bushing) with (nylon or grease)	US-PGPUB; USPAT	OR	ON	2004/08/25 13:41
S58	1900	column adj unit	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/25 13:45
S59	29	column adj unit and chair and (sleeve or guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/25 13:46
S60	59	Stabilus.asn. and chair and (sleeve or guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/25 13:47
S61	1	("5,765,804").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/08/26 05:27
S62	1212	248/631,161,162.1,188.2.ccls.	US-PGPUB; USPAT	OR	ON	2004/08/26 06:31
S63	177	248/631,161,162.1,188.2.ccls. and (spindle or rod or shaft) same (guide or sleeve)	US-PGPUB; USPAT	OR	ON	2004/08/26 07:02
S64	17	248/631,161,162.1,188.2.ccls. and (spindle or rod or shaft) same (guide or sleeve) and nylon	US-PGPUB; USPAT	OR	ON	2004/08/26 07:03

S65	5	248/631,161,162.1,188.2.ccls. and (spindle or rod or shaft) same (guide or sleeve) with (grease or lubricant)	US-PGPUB; USPAT	OR	ON	2004/08/26 07:42
S66	1	248/157.ccls. and (spindle or rod or shaft) same (guide or sleeve) with (grease or lubricant)	US-PGPUB; USPAT	OR	ON	2004/08/26 07:44
S67	1	297/344.18-344.19.ccls. and (spindle or rod or shaft) same (guide or sleeve) with (grease or lubricant)	US-PGPUB; USPAT	OR	ON	2004/08/26 07:44
S68	73	297/344.18-344.19.ccls. and (spindle or rod or shaft) with (guide or sleeve)	US-PGPUB; USPAT	OR	ON	2004/08/26 07:48
S69	156755	(spindle or rod or shaft) with (guide or sleeve)	EPO; JPO; DERWENT	OR	ON	2004/08/26 07:49
S70	2318	(spindle or rod or shaft) with (guide or sleeve) same column	EPO; JPO; DERWENT	OR	ON	2004/08/26 07:50
S71	116	(spindle or rod or shaft) with (guide or sleeve) same column with (gas or fluid or air or pneumatic)	EPO; JPO; DERWENT	OR	ON	2004/08/26 07:51
S72	38	(spindle or rod or shaft) with (guide or sleeve) same column with (gas or fluid or air or pneumatic) same (spindle or tube or tubular)	EPO; JPO; DERWENT	OR	ON	2004/08/26 07:59
S73	1	2003-047644.NRAN.	DERWENT	OR	OFF	2004/08/26 07:52
S74	26	(spindle or rod or shaft) with (guide adj sleeve) same (gas or fluid or air or pneumatic) same (spindle or tube or tubular)	EPO; JPO; DERWENT	OR	ON	2004/08/26 08:00
S75	176	(spindle or rod or shaft) with (guide adj sleeve or rod adj guide) same (gas or fluid or air or pneumatic) same (spindle or tube or tubular)	EPO; JPO; DERWENT	OR	ON	2004/08/26 08:00
S76	2360	(spindle or rod or shaft) with (slide adj bushing or guide adj sleeve or rod adj guide) same (gas or fluid or air or pneumatic)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/26 08:01
S77	1063	(spindle or rod or shaft) near5 (slide adj bushing or guide adj sleeve or rod adj guide) same (gas or fluid or air or pneumatic)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/26 08:02
S78	14	(spindle or rod or shaft) near5 (slide adj bushing or guide adj sleeve or rod adj guide) same (gas or fluid or air or pneumatic) with (adjust\$ near4 length or column or chair)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/26 08:04
S79	71	(spindle or rod or shaft) near5 (slide adj bushing or guide adj sleeve or rod adj guide) and (gas or fluid or air or pneumatic) with (adjust\$ near4 length or column or chair)	US-PGPUB; USPAT	OR	ON	2004/08/26 08:04

S80	15	JANG.in. and JUN.in. and CHANG.in.	US-PGPUB; USPAT	OR	ON	2004/08/26 08:08
S81	0	"6474619".pn. and (grease or lubricant)	US-PGPUB; USPAT	OR	ON	2004/08/26 09:11
S82	0	20020109052A1	US-PGPUB; USPAT	OR	ON	2004/08/26 09:11
S83	0	200200109052A1	US-PGPUB; USPAT	OR	ON	2004/08/26 09:11
S84	1	"20020109052"	US-PGPUB; USPAT	OR	ON	2004/08/26 09:11
S85	0	"20020109052" and nylon	US-PGPUB; USPAT	OR	ON	2004/08/26 09:19
S86	1	"5131615".pn. and nylon	US-PGPUB; USPAT	OR	ON	2004/08/26 09:21
S87	0	"5560717" .pn. and nylon	US-PGPUB; USPAT	OR	ON	2004/08/26 09:21
S88	0	"5560717".pn. and nylon	US-PGPUB; USPAT	OR	ON	2004/08/26 09:21
S89	0	"5556170".pn. and nylon	US-PGPUB; USPAT	OR	ON	2004/08/26 09:22
S90	0	"4899969".pn. and nylon	US-PGPUB; USPAT	OR	ON	2004/08/26 09:22
S91	187	(adhesive or glue or glued) same (guide adj sleeve or guide adj bushing)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/26 09:28
S92	155	(adhesive or glue or glued) same (guide adj sleeve or guide adj bushing)	US-PGPUB; USPAT	OR	ON	2004/08/26 09:31
S93	11174	(adhesive or glue or glued) with (sleeve or bushing)	US-PGPUB; USPAT	OR	ON	2004/08/26 09:33
S94	1948	(adhesive or glue or glued) with (sleeve or bushing) with (spindle or rod or shaft or tube)	US-PGPUB; USPAT	OR	ON	2004/08/26 09:31
S95	23	( (adhesive or glue or glued) with (sleeve or bushing) with (spindle or rod or shaft or tube)) and ("248"/\$. ccls. or "297"/\$.ccls.)	US-PGPUB; USPAT	OR	ON	2004/08/26 09:33
S96	8	( (adhesive or glue or glued) with (sleeve or bushing) with (spindle or rod or shaft or tube)) and ("267"/\$. ccls.)	US-PGPUB; USPAT	OR	ON	2004/08/26 09:33
S97	1	(adhesive or glue or glued) with (sleeve or bushing) same column adj unit	US-PGPUB; USPAT	OR	ON	2004/08/26 09:34



S98	22	(adhesive or glue or glued) with (sleeve or bushing) same (gas adj spring or vibration adj damper or vibration adj dampener or shock adj aborber or length near5 adjust\$)	US-PGPUB; USPAT	OR	ON	2004/08/26 09:35
-----	----	--	--------------------	----	----	------------------